



Standard Heavy-Weight Drill Pipe

Tube OD	Tube ID	Tube Wall	Area	CenterWear Pad	Tube Upset OD	Tube Tensile Yield	Tube Torsional Yield	Connection Type	Tool Joint OD	Tool Joint ID	Connection Tensile Yield	Connection Torsional Yield	Assembly Weight	Make-Up Torque
(in)	(in)	(in)	(in ²)	(in)	(in)	(lbs)	(ft-lbs)		(in)	(in)	(lbs)	(ft-lbs)	(lb/ft)	(ft-lbs)
*2 7/8	1 1/2	0.688	4.725	3 5/16	2 15/16	567,000	24,900	NC 26	3 3/8	1 1/2	294,500	6,900	17.46	4,100
3 1/2	2 1/16	0.719	6.280	4	3 7/8	345,400	19,600	NC 38	5	2 1/16	836,400	26,800	26.82	16,100
3 1/2	2 1/4	0.625	5.645	4	3 7/8	310,500	18,500	NC 38	4 3/4	2 1/4	606,700	19,200	24.66	11,500
3 1/2	2 1/4	0.625	5.645	4	3 7/8	310,500	18,500	CET™38	4 3/4	2 9/16	696,600	31,600	23.26	20,500
4	2 9/16	0.719	7.409	4 1/2	4 3/16	407,500	27,600	NC 40	5 1/4	2 9/16	822,900	27,700	30.18	16,600
4	2 9/16	0.719	7.409	4 1/2	4 3/16	407,500	27,600	CET™40	5 1/4	2 11/16	848,700	44,700	29.95	29,100
4 1/2	2 3/4	0.875	9.965	5	4 11/16	548,100	40,700	NC 46	6 1/4	2 3/4	1,166,300	44,400	41.58	23,200
4 1/2	2 3/4	0.875	9.965	5	4 11/16	548,100	40,700	CET™46	6 1/4	3 1/4	1,205,100	70,700	40.55	46,000
5	3	1.000	12.566	5 1/2	5 1/8	691,200	56,500	NC 50	6 5/8	3	1,397,000	57,500	50.49	34,500
5	3	1.000	12.566	5 1/2	5 1/8	691,200	56,500	CET™50	6 5/8	3 3/4	1,208,600	74,400	48.74	48,400
5 1/2	4	0.750	11.192	6	5 11/16	615,600	62,200	5-1/2 FH	7 1/4	4	1,244,500	55,700	47.22	33,400
5 1/2	4	0.750	11.192	6	5 11/16	615,600	62,200	CET™54	6 7/8	4	1,277,000	82,800	45.31	53,800
5 7/8	4	0.938	14.542	6 3/8	6	799,800	82,700	CET™57	7	4 1/4	1,402,600	92,100	55.08	59,900
5 7/8	4	0.938	14.542	6 3/8	6	799,800	82,700	CET™57	7 1/4	4	1,613,200	110,200	57.07	71,700
6 5/8	4 1/2	1.063	18.567	7 1/8	6 15/16	1,021,200	118,800	6-5/8 FH	8	4 1/2	1,697,800	87,900	73.39	52,700
6 5/8	4 1/2	1.063	18.567	7 1/8	6 15/16	1,021,200	118,800	CET™65	8	4 3/4	1,830,700	149,000	71.13	96,900

*2 7/8" is an Integral HWDP. Calculations are based on a SMYS of 120KSI.